



Product Service

# CERTIFICATE

No. Z1A 095801 0008 Rev. 00

**Holder of Certificate:** **Corbeo NV**  
Poldergotestraat 22  
9240 Zele  
BELGIUM

**Certification Mark:**



**Product:** **Lashing Belts**


**Tested according to:** EK5/AK6 18-01:2018  
EN 12195-2:2000  
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 701282188901-00

**Valid until:** 2026-05-24

**Date,** 2021-12-03

  
( Junjie (Steven) Xu )

# CERTIFICATE

No. Z1A 095801 0008 Rev. 00

**Model(s):** RATEL 1T, RATEL 1T/PP-LED, RATEL 1T-KA, RATEL 1T-2, RATEL 1T-2-KA, RATEL 2T, RATEL 2T/1, RATEL 3T, RATEL 4T-G+KF, RATEL 4T+KF, RATEL 5T-G+KF, RATEL 5T-G+KF-12M, RATEL 5T+KF, RATEL 5T+KF-12M, RATEL 5T-G+KF ERGO, RATEL 5T+KF ERGO

## Parameters:

Model:	RATEL 1T	RATEL 1T/PP-LED	RATEL 1T-KA
Lashing capacity (daN):	800	800	800
Textile webbing (mm):	25×1.00	25×1.00	25×1.00
Material:			
Textile webbing:	PES	PES	PES

Model:	RATEL 1T-2	RATEL 1T-2-KA	RATEL 2T
Lashing capacity (daN):	400	400	1000
Textile webbing (mm):	25×1.00	25×1.00	35×1.70
Material:			
Textile webbing:	PES	PES	PES

Model:	RATEL 2T/1	RATEL 3T	RATEL 4T-G+KF
Lashing capacity (daN):	2000	1500	2000
Textile webbing (mm):	35×1.70	35×2.40	50×2.04
Material:			
Textile webbing:	PES	PES	PES

Model:	RATEL 4T+KF	RATEL 5T-G+KF	RATEL 5T-G+KF-12M
Lashing capacity (daN):	2000	2500	2500
Textile webbing (mm):	50×2.04	50×2.49	50×2.49
Material:			
Textile webbing:	PES	PES	PES

Model:	RATEL 5T+KF	RATEL 5T+KF-12M	RATEL 5T-G+KF ERGO
Lashing capacity (daN):	2500	2500	2500
Textile webbing (mm):	50×2.49	50×2.49	50×2.49
Material:			
Textile webbing:	PES	PES	PES



# CERTIFICATE

No. Z1A 095801 0008 Rev. 00

Model: RATEL 5T+KF ERGO  
Lashing capacity (daN): 2500  
Textile webbing (mm): 50×2.49  
Material:  
Textile webbing: PES